



Crendon Nominees Pty Ltd A/T/F
 the Fry Family Trust T/A: Crendon Machinery
 ACN 009 135 335 ABN 53 913 250 628
 2 Ramsay Tce
 PO Box 95
 DONNYBROOK WA 6239
 Ph: (08) 9731 1502
 Toll Free: 1300 761 922
 Fax: (08) 9731 1657
 Email: info@crendon.com.au
 www.crendon.com.au

Manufacturers and Designers of Horticultural and Viticultural Equipment
 * **SQUIRREL** self propelled elevating platforms * **SADIE** vineyard & orchard sweepers * **NETWIZZ** netting retriever

SQUIRREL Parts Catalogue # 2

Electrical, Switches PCBs, Lights & Wiring



SQUIRREL Parts Catalogue # 2	Page
<i>Electrics Switches, Start, E stop</i>	2
<i>Electrics Switches, Rotary Potentiometer, Pressure Switches ..</i>	2
<i>Limit Switches, Toggle Joystick, Toggle Switch.....</i>	3
<i>Proximity Switch, Buzzers, Horns,</i>	4
<i>Oil Pressure Switches, Cage Door Switch.</i>	5
<i>Lights, Beacons,</i>	5
<i>PCB boards,</i>	6
<i>Relays, Rectifiers, Battery,</i>	7
<i>Hour Meters, Trailer Plugs, Liner Actuator</i>	8
<i>Slope Sensors, Wire Harness</i>	9
<i>Electrics Switch Boxes,</i>	10
<i>Fans, Electrics Terminals</i>	11
<i>Electrics Terminals, Fuses, Electrics Wire single core</i>	12
<i>Electrics Wire Mouti Core, Conduit, Heat Shrink</i>	13
<i>Cable Ties, Battery Terminals, P clips</i>	14

Electrics E Stop & Start Switches



Push button switch plastic SPST latching (1990-2005) – **ESP319.348**

Push button switch plastic SPST non-latching (1990-2015) – **ESP319.332**



Covers for above switches

Push button cover clear - **ESP319.348**

Push button cap red – **ESP319.376**

Push button cap green – **ESP319.382**



Push button start, spring return, NO, Gold Contacts, green with silicone boot, IP 67 – **ESP319.382** \$16.64 + GST
(This is what we are using now) (From 2005)



E Stop, turn to release, NO, NC, Gold Contacts, red mushroom head, IP 67, - **ESP319.400** (This is what we are using now) (Petrol engines From 2005)



E Stop, spring return, NO, NC, Gold Contacts, red mushroom head, IP 67, (Diesel engines From 2005)- **ESP319.400**

E Stop, pull to release, NO, NC, Gold Contacts, red mushroom head, IP 67, - **ESP319.400**



E Stop, Box Type 1 – **ESP319.400**

Electrics Switches



Arrow push button switch silver contact, IP65, used for Emergency decent – **ESP319.400**



Switch box white plastic – **ESP319.400**



Switch box E Stop & start assembly in aluminium enclosure IP66– **ESP319.400***



Switch box E Stop assembly in aluminium enclosure IP66– **ESP319.400**

Rotary Potentiometer



Throttle speed adjustment Ø22mm hole, rotary potentiometer converter LA42DWQ-22-5K (23HP EFI from mid-2018) **ETCEFI22** replace with switch below.



Throttle speed adjustment Ø9mm hole, rotary potentiometer converter, IP65, ETCP9M5K320/67 (23HP EFI from mid-2020) **XTCP***

Pressure sensor Switch



Oil Pressure Switch 1/4" FM BSP 500 PSI – 3,000 PSI (**7) – **ESOP14FM NONC**



Oil Pressure Switch 1/4" M BSP 500 PSI – 3,000 PSI (**7) – **PS600200**

Oil Pressure Switch 1/4" FM BSP 500 PSI – 3,000 PSI (**7) – **PS14BSPF300B**

Limit sensor Switch



Squirrel boom limit switch IP67 NO/NC 240V pos brk - **ELS8943346**

Toggle joystick



Toggle joystick 30mm hole, 2position, self-return, 4 x NO (Squirrel throttle) – **ESJCMRN3022**
(2017 - 2019) replace with Toggle switch below

Toggle joystick 30mm hole, 4position, latching, 4 x NO (Squirrel 3 speed) – **ESJCMRN3021**
(2017 - 2019) replace with Toggle switch below



Rubber boot for both types of toggle joy-stick 30mm hole, – **ESTJRB30** (2017 - 2019)



Toggle joystick 30mm hole, 4position, latching, 4 x NO, aluminium top & thread, replacement for old 3 speed – **ESJS4WL4XNO24** \$38.57 + GST



Toggle joystick 30mm hole, 2position, spring-return, 4 x NO (Squirrel throttle) – **ESJS2WS4XNO24** \$38.57 + GST

Toggle Switch IP67 (358, 558, 678 & 818)



3 SPEED, Switch Waterproof Toggle Switch Model: # T501CT, Function: ON-OFF-ON latching, Amps: 15, Volts: 12, Ø 12mm, Terminals: 3 pins, IP67. – **ETS3P3P12MIP67** \$14.82 + GST



Bin forks, Horn & Emergency decent, Switch Waterproof Toggle Switch Model: # T501MT Function: ON-OFF-ON spring return, Amps: 15, Volts: 12, Ø 12mm, Terminals: 3 pins, IP67. – **ETS2P3PSRM12** \$14.82 + GST



Throttle Switch Waterproof Toggle Switch Model: # T502MT Function: ON-OFF-ON spring return, double pole - double contact, Amps: 15, Volts: 12, Ø 12mm, Terminals: 6 pins, IP67. - **ETS3P6P12MOMIP6** \$15.97 + GST



Waterproof Toggle Switch Boot Model: # T700-3, 12mm green, yellow, blue, red, switches cover waterproof – **ETSC12M** \$4.95 + GST



Mud guard washer for toggle switch 50mm od 12mm id (used when replacing 30mm switches) - **BWMGZ1/2X2X** \$1.15 + GST

Proximity sensor Switch



Proximity switch, boom height switch & swing out wheels switch, 25mm range, 5m lead, 3amp, NO & NC, IP 67- **ESPSLM42** (*This is what we are using now*) \$35.45 + GST



Photo sensor switch 100-300mm range, 4m lead, 3amp, NO

- **ESPSIP6730**

Photo sensor switch 50-150mm range, 5m lead, 1amp, NO

- **ESPSIP67150**



Proximity Magnetic switch 10mm range, 2m lead, 1amp, NO

- **ESPS12x10**

Proximity sensor Switch



Proximity switch 50mm range, 3m lead, 3amp, NO, IP 67 – **ESPSIP6730**

Buzzers



Back up Alarm DC12-24V, IP67, 97dB (new from 2021) (Slope sensor alarm) – **ESBA10267**



Snail car horn, TZ-112S, IP67, 12V, 105-118Db, (Squirrel horn from 2022) **ESCH12V105DB**



Big Snail truck horn, TZ-112S, IP67, 12V, 130Db, (Squirrel horn from 2023) **ESCH12V130DB**



Oil Alarm 95DB Alarm High-decibel 3-24V 12V Electronic Buzzer Continuous Beep (high quality) (key left on alarm, used on PCB board) – **ESBP95CH**

Oil Pressure Switches



Oil pressure switch, on petrol engines, 1/8" normally closed, spade terminal (*This is what we are using from - 2015*) – **ESOP1/8NO** \$8.13 + GST



Oil pressure switch, on petrol engines, 1/8"NPT, normally open used to switch on accessory's electric circuit has screw on back (*from mid-2024*) – **ESOPS18NPTNOS** \$17.74 + GST

Electrics Switches



Battery isolator, 300 amp, used from 6-2024 squirrels – **ESBI300A** \$25.60 + GST



Push/pull switch – **EGFN62073**



Switch Push Pull 12v Red globe ACX3668BL – **EGSPP3668**

Slope Switch



Tilt switch non-mercury 15°, Comus S1267 - **EMS15-S1267** \$25.23 + GST

Cage Door Switches



Cage Door switch, IP67, NC & NO, Ø12mm thread, made in Japan – **ESCDLS12** (from 2023) \$47.26 + GST

Electrics Lights



Pilot lamp (red) – **EGFN62073**



LED light combo 100 x 100 square stop, tail, indicator, - **EGFLED100**




Amber LED Rotating Beacon 10-30V, IP67, 24w, Diameter 130 height 110 BC1300– **EALEDB12IP67** \$45.24 +GST




Amber LED flashing strip 10-30V, IP67, 36w, 47mm 132 long x wide x 18mm height LH212– **EGSLEDA** \$37.68 + GST

PCBA Board




PCBA wiring board –008 series; plug in 9 x plug in Safety relays, 8 x plug in miny auto relays, Fail safe design, dead man function, Squirrel 3 Speed, Kubota diesel stopping, diesel fuel pump, swing-out wheels, height cut-in for slope sensor, height cut-out on 3 speeds, starter relay, 15-amp load for fans & relay, 3 speed relay, bin forks relay, 10-amp diode, separate engine fans power circuit, separate engine running power circuit, separate key on power circuit, 315mm x 170mm (from 6-2024) - **PCBA-SQ2-24** \$332.50 + GST

PCBA Board




PCBA wiring board –008 series; Squirrel 3 Speed: swing-out wheels, height cut-in for slope sensor, height cut-out on 3 speeds, starter relay, 15-amp load for fans & relay, 3 speed relay, bin forks relay, 10-amp diode, separate engine fans power circuit, separate engine running power circuit, separate key on power circuit, (from 6-2022 to late 2023) - **PCBA-SQ22**



PCBA wiring board –008 series; with plug in 40 amp auto miny relays, Squirrel 3 Speed, Kubota diesel stopping, diesel fuel pump, height cut-in for slope sensor, height cut-out on 3 speeds, starter relay, 15-amp load for fans & relay, 3 speed relay, bin forks relay, 10-amp diode, separate engine fans power circuit, separate engine running power circuit, separate key on power circuit, (this is a replacement for the PCB listed below) - **PCBA-SQSTD2-24*** \$235.50 + GST



PCBA wiring board – 005 & 006 & 008 series; Squirrel 3 Speed: swing-out wheels, height cut-in for slope sensor, oil pressure buzzer, height cut-out on 3 speed, starter solenoid, (from mid-2015 - 2021) - **PCBA-SQ2**



PCBA wiring board –008 series; Squirrel 3 Speed, Kubota diesel stopping, diesel fuel pump, swing-out wheels, height cut-in for slope sensor, height cut-out on 3 speeds, starter relay, 15-amp load for fans & relay, 3 speed relay, bin forks relay, 10-amp diode, separate engine fans power circuit, separate engine running power circuit, separate key on power circuit, (from 6-2023) - **PCBA-SQ23**



PCBA wiring board - 007 series; Squirrel 3 Speed: drive wheels position, height cut-in for slope sensor, height setting for slope sensor settings, oil pressure buzzer, height cut-out on 3 speed, starter solenoid, bin forks, crab steer, boom sequence, (from late 2015) - **PCBA-SQ007**

PCBA Board



PCBA wiring board – 008 series; Squirrel 3 Speed: height cut-in for slope sensor, height cut-out on 3 speed, starter solenoid, 2 x live circuits, plug in diode, bridge rectifier.

(from 2021) - **PCBA-SQ21**

Electrics relays



Relay double reversing contact 12V 50/30A, with socket & 150mm lead - **ESRR12V40B5P**



Relay base with 150mm lead – **ESRRB5L**



Relay base 4&5 pin left picture - **ESRBRB1**

Relay base 4&5 pin & mounting bracket right picture - **ESRBRB2**



Relay double reversing contact 12V 50/30A - **ESRR12V4030A**



Safety Relay double throw, double contact, 8 pin, 12V 5A for 2-2024 PCB – **ESSR8pin12V5A**



Miny Auto Relay, double contact, 5 pin, 12V 40A for 2-2024 PCB – **ESMR5pin12V40A**

Rectifiers



Bridge rectifier 25A 1000V - **ESBR25A100V**



Rectifier diode IN4004 1A 400V – **ESDIN4004**
Rectifier diode IN4004 20A 45V – **ESD20A45VR**



Plug in Rectifier diode– **ESDBM12VB**

Battery



Battery calcium MF, NS40ZLS-SMF, 420CCA, 125mm deep x 195mm wide x 200mm high (for all except 008 models)– **BA43 \$102.95 + GST**



Battery 300 CCA NS40ZLS 125mm deep x 195mm wide x 200mm high (for petrol 008 models)– **BAC6-QW-36**



Battery 550 CCA, big terminals, 170mm deep x 230mm wide x 210mm high (for desal 008 models)– **BAC550 \$164.74 + GST**

Electrics Hour Meter




Hour Meter/Tacho HM02 red CH - **HMRLHM006**
 \$24.59 + GST
 Hour meter - vibration activated CH (diesel engine)-
HMVBR



Hour meter quartz, plastic housing, IP68, Ø 50mm hole
 5/36V, AC & DC (new from 2021) – **HMIP67RLM** \$31.59
 + GST



Hour meter quartz, plastic housing, IP67, rectangle hole
 5/36V, AC & DC (new from 2021) – **HMIP67-TH1**
 \$38.54 + GST



Hour meter quartz, plastic housing, IP67, rectangle hole
 5/36V, DC (new from mid-2023) – **HMIP67-SYS-1**



Hour meter LCD, plastic housing, 25year life, IP67,
 rectangle hole 5/36V, DC (new from mid-2024) –
HMIP67RL010A \$42.15 + GST
(This is what we are using from mid-2024)



Hour meter bracket for above 2 types flat or raised –
HMMB50*

Trailer Plug



Trailer Plug 7 pin Metal – **TPM7P**



Trailer socket 7 pin Metal – **TPM7PS**

Liner Actuator



Linear actuator heavy duty 700N; 40mm stroke; 12V black lead
 with deutsch plug x 2.5m, IP66 (Electric throttle from mid-2021)
 – **LA100IP66-LAJ** \$91.18 + GST
(This is what we are using now)



Linear actuator medium duty 200N; 40mm stroke; 2.5m lead,
 IP66 (Electric throttle from 2019-2021) – **LAUL1IP652.5** \$72.83
 + GST



Linear actuator light duty 200N; 40mm stroke; 2.5m lead, IP65
 (Electric throttle before 2019) – **LA40N40S12V** \$54.91 + GST

Electrics Slope Sensors



Tilt switch fail safe, 2 axis, IP67, 5 fixed alarm 5° & 5°, 7.5° & 10°, 10° & 12.5°, 12.5° & 15°, 15° & 15°, 2 sec delay 0° set, fail safe on each sensor, auto buzzer testing, re programable by crendon (1m lead), 1 amp – **EMSWITFS24 \$344.00 + GST** (from 6-2024)



Tilt switch 2 axis, 4 fixed alarm 7.5° & 10°, 12.5° & 10°, 12.5° & 15°, 15° & 17.5°, 2 sec delay 0° set (0.6m lead), 3 amp - **EMSMCA32D-NV \$272.55 + GST** (up to 12-2023)



Tilt switch 1 axis, 2 fixed alarm 30° & 50°, 2 sec delay, 0° set (3m lead), 3amp - **EMSMCA31D-NV**

Wire Harnesses



Engine Petrol wiring harness 8 pin IP67, light wires, 2m + 0.7m **EWH6PM/F**

Wire Harnesses



Engine Petrol wiring harness 8 pin IP67, heavy wires, 2m + 0.7m **EWH8PM/F**

Deutsch Plug



x2
Deutsch plug 2 pin Female kit **ETDP2PF**



x2
Deutsch plug 2 pin Male kit **ETDP2PM**



Deutsch plug 8 pin kit – **ETDP8P**



Deutsch plug pin female each – **ETDP1F3MM**



Deutsch plug pin male each – **ETDP1M3MM**



Deutsch plug 2 pin Male with 150mm of wire **ETDP2PM+L**

Electrics Switches Boxes



Electrical box w/proof PVC with clips 170 x 250 x 100 deep - **ESCBWP170250100**



Electrical Box in engine bay, IP66, ABS 280 x 190 x 130 deep - **AEB280190130** *(This is what we are using for petrol engines)*



Electrical Box waterproof ABS 280 x 190 x 180 deep - **AEB280190180 AEB280190130** *(This is what we are using for diesel engines)*



Aluminium electrical box big, for engine bay 340 x 235 x 160 deep - **AEB340235160**
\$149.15 + GST *(for all engines, from 6-2024)*



Aluminium electrical box 188 x 120 x 78 deep (007 Cage switch box) - **AEBSPAGFA3**

Electrics Switches Boxes



Aluminium electrical box in cage, IP67, 222 x 145 x 55 deep- **AEBSPAGFA5**

Alum electrical box, IP67, 222 x 145 x 75 deep - **AEBSPAGFA6**
(008 This is what we are using now)



Plastic screw for Elect. Box ABS 280x190x130 - **AEBPS16X50** \$4.23 + GST



SS screw for Alum elect box -
4mm x 16mm long **BSCMPM4x16**
4mm x 30mm long **BSCMPM4x36**



Plastic Electrical Box, IP66, 195 x 145 x 75 deep for LVI cages - **AEB195x145x75** \$32.20 + GST *(LVI 008 This is what we are using now)*

Exhaust Fans



Exhaust Fan to keep engine bay cool on 008 Squirrels, 12V,
 (8") fan – **EF0812K** \$.....
 (9") fan – **EF0912K**



Sucking cold air into the engine bay, engine side, to keep engine bay cool on 008 Squirrels, fitted on the left-hand bonnet, IP67, 12V, 4.5 amp, IP67 plug, fan held on with 4 screws, 5,000-hour life, has arrow holes in plastic fan hub

10" Sucking fan # KLN174F – **EF10S12V4.5A** \$87.60 +GST

9" Sucking fan # KLN173F – **EF09S12V4.5A** \$85.41 +GST



Blowing hot air out of the engine bay, fuel tank side, to keep engine bay cool on 008 Squirrels, fitted on the right-hand bonnet, IP67, 12V, 4.5 amp, IP67 plug, fan held on with 4 screws, 5,000-hour life, has no holes in plastic fan hub

10" blowing fan # KLN174 – **EF10B12V4.5A** \$87.60 +GST

9" blowing fan # KLN173 – **EF09B12V4.5A** \$85.41 +GST

Exhaust Fans 2 wire connector



Exhaust Fan 2 wire connector Male for 4mm wire **EFDJ7026-2.8M** \$.....

Exhaust Fans 2 wire connector



Exhaust Fan 2 wire connector Male & Female for 4mm wire **EFDJ7026-2.8MFM** \$.....

Electrics Terminals



Electric Cable joiner 2.5-3mm red - **ETN56154**
 Electric cable joiner 4mm blue - **ETN56156**
 Electric cable joiner 5-6mm yellow - **ETN56158**



Electric Cable heat shrink joiner 2.5-3mm red – **ACX3064**
 Electric cable heat shrink joiner 4mm blue – **ACX3065**
 Electric cable heat shrink joiner 5-6mm yellow – **ACK3066**



Electric Term 6.3mm red - **ETN56142**
 Electric Term 6.3mm blue - **ETN56144**
 Electric t Term 6.3mm yellow - **ETN56145**



Electric Term 2.8mm (F) blade red – **ETN56033BL**
 Wiretap connector 3-4mm – **ETN56060**



Blade term (M) 6.3mm red – **ACX3006**
 Blade term (M) 6.3mm Blue – **ETN56022**
 Blade term (M) 6.3mm Yellow – **ETN56024**



Crimp term (m) bullet 4mm blue – **ETN56148**



Open spade term 3mm red – **ETACX3043**
 Open spade term 4mm blue – **ETACX3045**
 Open spade term 5mm yellow – **ETACX3047**



Ring term 3mm wire red - **ETN56172**
 Ring term 4mm wire blue – **ETN56180**
 Ring term 8.4mm wire yellow – **ETN56090**



Prong term 3mm wire red – **ETN56212**

Electrics Terminals



Wiretap connector 3-4mm – **ETN56060**



Cable Lug for battery cables 8mm hole – **BACL25-8**
 Cable Lug for battery cables 10mm hole – **BACL25-10**

Electrics Circuit Braker & Fuses



Circuit breaker 10A 12V/250V - **ESCB15A**
(This is what we are using for accessories)

Circuit breaker 15A 12V/250V - **ESCB15ATB50V125**
(This is what we are using for cooling fans)



Circuit breaker heavy duty, water proof, 30A 12V, used from 6-2024 squirrels – **ESCB30AW \$18.21 + GST**



Fuse holder suit 5mm blade fuse – **EGFHBFS3**



Fuse Blade 2AMP Grey – **EGFB2A**
 Fuse Blade 5AMP Yellow – **EGFB5A**
 Fuse Blade Mini 10AMP red - **EGFB10AM**
 Fuse BLADE 15 AMP - **EGFB15A**
 Fuse blade 25 Amp white - **EGFB25A**
 Fuse blade 30 Amp – **EGFB30A**



Fuse blade 25 Amp auto reset white - **EGFBAR25A**



Fuse blade 30 Amp auto reset green – **EGFBAR30A**

Electrics Wire Single Core



Auto cable 1 core 3mm 10A black – **EWC1C3M100BK or EW1C1MCH**

Auto cable 1 core 3mm 10A red – **EWC1C3M100RD**
 Auto cable 1 core 3mm 10A Yellow – **EWC1C3M100YE**
 Auto cable 1 core 3mm 10A Green – **EWC1C3M100GR**
 Auto cable 1 core 3mm 10A white – **EWC1C3M30W**
 Auto cable 1 core 3mm 10A Orange – **EWC1C3M30OR**
 Auto cable 1 core 3mm 10A Brown – **EWC1C3M30BR**
 Auto cable 1 core 3mm 10A Blue – **EWC1C3M30BL**

Auto cable 1 core 4mm 15A Yellow – **EWC1C4M30YE**
 Auto cable 1 core 4mm 15A Red – **EWC1C4M30RD**
 Auto cable 1 core 4mm 15A Black – **EWC1C4M30BK**

Auto cable 1 core 5mm 20A Yellow – **EWC1C4M30YE**
 Auto cable 1 core 5mm 20A Red – **EWC1C4M30RD**
 Auto cable 1 core 5mm 20A Black – **EWC1C4M30BK**

Electrics Wire Battery cable



Cable name	Area in mm ²	Diameter in mm	Looks like
8 B&S	7.71	5.5	
6 B&S	13.5	7.2	

Battery cable small 8 B&S black - **EWBC8BSB**
 Battery cable small 8 B&S red - **EWBC8BSR**

Battery cable medium 6 B&S (13.5mm²) black (Petrol & diesel engines) – **EWBC6BSB**
 Battery cable medium 6 B&S black (13.5mm²) (Petrol & diesel engines) – **EWBC6BS**

Electrics Wire Multi Wire



Cable 2core, 3mm (light) Sheathed Red & Black, black outer cover – **EWC3M2C**

Cable 2core, 4mm (medium) Sheathed Red & Black, black outer cover – **EWC4M2C**

Cable 2core, 5mm (heavy) Sheathed Red & Black, black outer cover – **EWC5M2C**



Cable 3core, 3mm Sheathed Red & Black– **EW3C1MCH**



Auto cable 5 Core 2.5/3mm, Black outer cover – **EWCAM1-109-100** or **EW5C1MCH**



Auto Cable 7 Core 3mm, Black outer cover - **EWCAB7CHVY** or **EW5C1MCH**



Auto Cable 15 Core 3mm, Black outer cover – **EW15C1MCH**

Auto Cable 16 Core 3mm, Black outer cover – **EW16C1MCH**

Electrics Accessories



Convoluted tubing
 Very Small 7 id X 10.4od – **ECT7**
 Small 9.9 id X 13od - **ECT9.9X13**
 Medium 16.6 id X 21.2 od - **ECT16.6X21.2**
 Large 21.2 id x 25.3 od - **ECT21.2**



Terminal Strips
 Small 4mm cable x 12 - **ETACX2710**
 Medium 5mm cable x 12 - **ETACX2711**
 Large 6mm cable x 12 - **ETACX2712**



Heat Shrink Tube 3 x shrink rate with glue.
 Heat Shrink Tube red Ø12.7 – **HST12R**
 Heat Shrink Tube red Ø20 - **HST20R**
 Heat Shrink Tube black Ø20 - **HST20B**
 Heat Shrink Tube black Ø40 – **HST40B**
 Heat Shrink Tube black Ø70 – **HST70B**

Cable Ties



Cable Ties

Small 100 x 2.5mm – **ECT102B**

Medium 200 x 3.2mm – **ECT200N**

Long 368 x 4.8mm – **ECT370X7.6B**

Very long 515 x 9mm - **ECT550**

Battery Terminals



Battery terminal, heavy duty (brass) Negative – black -

BTBNTB

Battery terminal, heavy duty (brass) Positive – Red –

BTBPTR

P Clips



Large 12.7mm steel with PVC coated – **ACX1310**

Medium 10mm steel with PVC coated – **ACX1308**

Large 12.7mm Nylon – **ACX1303BK**

Medium 10mm Nylon – **ACX1302BK**

Small 4.6mm Nylon – **ACX1300BK**